



PRODUCT CATALOGUE

NATURAL COATING SYSTEMS

for interior and exterior use





SIMPLY. COAT. BETTER.

As an experienced manufacturer of high-quality wood coatings, we attach great importance to supplying you with products that not only fulfil their purpose, but more than that: they combine properties to achieve an even better result. This is our commitment - and this is what our customers deserve.

SAICOS EXPLAINED

- 04 Dealer search
- 05 Product Information
- 06 Oil-based coating systems
- 07 Lacquer-systems

OIL COATINGS FOR FLOORS

- 09 Premium Hardwax-Oil additives (Anti-Slip R10, UV Protection, Hardener 2K)
- 10 Single Top Oil (2K)
- 11 Single Top Hardener 2K and Single Top Oil Care
- 12 Ecoline Oil Ground Coat
- 13 Ecoline Hardwax-Oil 2.0, Additive Hardener 2K, Ecoline Hardwax-Oil

LACQUER COATINGS FOR FLOORS

- 14 Ecoline MultiTop lacquer system
- 15 Additives Ecoline MultiTop lacquer system

FLOORS

- 16 Ecoline Ground Coat "Speed", Ecoline Crack-Filler

PVC, LINOLEUM, DESIGN FLOORS

- 18 2K PU Elastic
- 19 2K PU System additives (Hardener 2K, Anti-Slip R10, Delayer), Basic Cleaner

INTERIOR WOOD COATINGS

- 20 Wood Impregnation biocide-free
- 20 Ground Oil Extra Thin
- 21 UV Protective Wood Finish Interior
- 23 Color Wax
- 24 Furniture Oil
- 24 Worktop Oil
- 25 Stain Remover

CLEANING AND CARE OF OILED/WAXED SURFACES

- 27 Wax Care, Wash Care Oil, Professional Care Oil
- 28 Ecoline Wash Care, Ecoline Magic Cleaner, Ecoline Magic Cleaner Spray
- 29 Ecoline Wax Care, Ecoline Wax Care Spray
- 30 Ecoline Floor Care Set, Ecoline Floor Clean & Care Set

CLEANING AND CARE OF LACQUERED SURFACES

- 31 Ecoline Refresher, Ecoline MultiTop Lack Polish

CLEANING, CARE AND ACCESSORIES

- 32 Telescope-Maintenance Cloth, Ecoline Maintenance-Set
- 33 All care and renovation products at a glance


EXTERIOR WOOD COATINGS

- 36 Special Wood Oil, Special Wood Oil Additive R10, End-Grain Sealing Wax
- 37 Decking Oil H₂O
- 38 Wood Stain
- 39 Wood Stain H₂O
- 40 House & Garden Colour
- 41 Bel Air H₂O Garden- and cladding colour
- 42 Primer White
- 43 Universal Impregnation, WPC Care Oil
- 44 Clear Oil Finish, Greying Wood Stain
- 45 UV Protective Wood Finish Exterior

CLEANING AND CARE FOR DECKING

- 47 Wood Brightener, Wood Brightener Power-Gel, Decking Cleaner - Concentrate, Cleaner for WPC - Concentrate

TOOLS AND ACCESSORIES

- 48 Easy Paint Set, Brush-Cleaner
- 49 Pad holder 
- 50 Roller, Roller Handle, Flat Brush, Paint Trays
- 51 Telescopic handle, Scraper, Floor Brush, Super Pad, Fleece Mat

Dealer search

made easy



Application video and
technical data sheets
available directly via QR code
in many languages.



CLEAR PRODUCT INFORMATION



product
information



frost-susceptible



area of application
of the product



application with
tools shown



opaque
when dry



transparent
when dry



coverage in
square meters
per 1 liter



natural oils are used
for production



drying time
in hours



drying time
in minutes



touchable
in hours



supplement
Hardener 2K
quick drying



UV protection



no primer
necessary



weatherproof
surface



suitable for
windows and
doors



product with
dirt-repellent
function



particularly easy-
care surface



product has a
DIBt approval



approved for
wooden toys in
accordance with
DIN EN 71-3



anti-slip (R9)



anti-slip (R10)



food safe
EN 1186



suitable for
hygienically
sensitive objects



safe for humans,
animals and plants



environmentally
friendly

OIL-BASED COATING SYSTEMS

1st Coat



SINGLE TOP OIL (2K)



GROUND OIL EXTRA THIN



ECOLINE OIL GROUND COAT



PREMIUM HARDWAX-OIL SYSTEM/
ECOLINE HARDWAX-OIL/
ECOLINE HARDWAX-OIL 2.0

2nd Coat



PREMIUM HARDWAX-OIL SYSTEM/
ECOLINE HARDWAX-OIL/
ECOLINE HARDWAX-OIL 2.0

LACQUER-SYSTEMS

1st Coat



ECOLINE GROUND COAT „SPEED“



ECOLINE OIL GROUND COAT



ECOLINE MULTITOP SYSTEM

2nd Coat



ECOLINE MULTITOP SYSTEM

3rd Coat



ECOLINE MULTITOP SYSTEM

SYSTEMS FOR DESIGN-, PVC- UND LINOLEUM-FLOORS



BASIC CLEANER



2K PU ELASTIC SYSTEM



highest quality

easy to apply

extremely durable



PREMIUM HARDWAX-OIL

Naturally beautiful and resistant surface treatment

With this modular system, you can master even the most difficult conditions with confidence. The additives for the colourless SAICOS Premium Hardwax-Oil allow you to individually combine a wide range of product properties.

Suitable tools, such as the Oil/Wax-Roller, etc. can be found on page 50.



APPLICATION AREAS

Wood and cork floors, as well as other wooden surfaces
(e.g. furniture, stairs, worktops, etc.)

TOOLS

Oil/Wax-Roller, Universal roller „Small“, Flat Brush, Floor Brush

CAN SIZES

0,125 L / 0,75 L / 2,5 L / 10 L / 25 L



PREMIUM HARDWAX-OIL ADDITIVES

ADDITIVE HARDENER 2K (3243)

With the Additive Hardener 2K in the colourless SAICOS Premium Hardwax-Oil, the Hardwax-Oil dries quicker even under difficult working conditions such as high humidity. In general, coated surfaces can be walked on earlier and offer an improved abrasion hardness.

Additive also suitable for Ecoline Oil Ground Coat (page 12) and Ecoline Hardwax-Oil (3600Eco, page 13).

CAN SIZES

50 ml for 0,75 L Premium Hardwax-Oil

125 ml for 2,5 L Premium Hardwax-Oil



ADDITIVE ANTI-SLIP R10 (3240)

The Additive Anti-Slip R10 in the colourless SAICOS Premium Hardwax-Oil fulfils a frequently asked requirement: the finished coated surface is given certified R10 slip resistance.

CAN SIZES

72 ml for 0,75 L Premium -Oil

240 ml for 2,5 L Premium Hardwax-Oil



ADDITIVE UV PROTECTION (3242)

Natural discolouration is a direct result of the wood 's exposure to sunlight. The Additive UV Protection reduces the natural discoloration significantly.

CAN SIZES

75 ml for 0,75 L Premium Hardwax-Oil

250 ml for 2,5 L Premium Hardwax-Oil



SINGLE TOP OIL (2K)

High-quality surface with just one application

This product line is characterised by a single application, natural colour tones and resistance to dirt. The Single Top Oil (2K) system is a high-quality one-coat system with an extremely easy to-care surface. Simply pour the Single Top Hardener 2K into the Single Top Oil (2K), stir and off you go!

Single Top Oil (2K) must always be used in combination with Single Top Hardener 2K (4643).

For optional additional protection, we offer the Single Top Oil Care, which can be applied as an initial care.



APPLICATION AREAS


Wood and cork floors, as well as other wooden surfaces (e.g. furniture, stairs, worktops, etc.)

TOOLS

Single disc machine

CAN SIZES

0,125 L / 0,375 L / 0,75 L



only one coat

slip-resistant R9

natural





SINGLE TOP ADDITIVE

ADDITIVE SINGLE TOP HARDENER 2K (4643)

Simply pour the Single Top Hardener 2K into the Single Top Oil (2K), stir and off you go! The quantity of Single Top Hardener 2K is matched to the respective container size of the Single Top Oil (2K).

Single Top Oil (2K) must always be used in combination with Single Top Hardener 2K.

CAN SIZES SINGLE TOP HARDENER 2K

30 ml for 0,375 L Single Top Oil (2K)

50 ml for 0,75 L Single Top Oil (2K)



SINGLE TOP OIL CARE

The plus for your single top surface

The Single Top Oil Care was especially developed for the initial maintenance, renovation and refreshing of SAICOS Single Top Oil (2K) surfaces. It is easy to clean, water-repellent and tread-resistant.



Innenbereich
interior



Padden
buff



Ergiebigkeit
coverage



Trockenzeit
drying time



rutschhemmend
anti-slip



natürliche Öle
natural oils



pflegeleicht
easy-care

APPLICATION AREAS

Wood and cork floors, as well as other wooden surfaces (e.g. furniture, stairs, worktops, etc.) with Single Top Oil (2K) surface.

TOOLS

Single disc machine

CAN SIZE

1 L



4639
Matt
colourless



4640
White
transparent
matt



ECOLINE OIL GROUND COAT

Natural oil in colour

Add that special note to your wooden surfaces. Natural oil - either colourless for beautiful amber-tones or highly pigmented for colouring. Ecoline Ground Coat also can be used with the Additive Hardener 2K (3243, page 9). As a final coat we recommend: SAICOS Hardwax-Oils or our Ecoline MultiTop lacquer system.



APPLICATION AREAS


Wood and cork floors, as well as other wooden surfaces (e.g. furniture, stairs, worktops, etc.)

TOOLS

Single disc machine

CAN SIZES

0,125 L / 0,75 L / 2,5 L



ecological

sustainable

environmentally friendly



ECOLINE HARDWAX 2.0

The solvent-free coating

The completely solvent-free Ecoline Hardwax-Oil 2.0 combines quality and ecology. Based on natural oils and waxes, it creates a natural and hard-wearing surface and is particularly suitable for heavily used wooden surfaces. Ecoline Hardwax-Oil 2.0 can optionally be applied as a 1-component version (matt) or as a 2-component version (satin matt) for commercial use.



APPLICATION AREAS

Heavily used wooden surfaces

TOOLS

Single disc machine

CAN SIZES

0,125 L / 0,75 L / 2,5 L / 10 L



3620Eco
Matt
colourless



3620Eco + 3643Eco
Satin matt (2K)
colourless



ECOLINE HARDWAX-OIL 2.0 ADDITIVE

ADDITIVE HARDENER 2K (3643ECO)

The addition of Hardener 2K in Ecoline Hardwax-Oil 2.0 improves the products resistance when dry. In general, the treated surfaces are more resilient and abrasion-resistant at an earlier stage.

CAN SIZES

35 ml for 0,75 L Ecoline Hardwax-Oil 2.0

80 ml for 2,5 L Ecoline Hardwax-Oil 2.0



ECOLINE HARDWAX-OIL

The low-VOC coating

The ecological alternative to our Premium Hardwax-Oil. Complete coating in just one day! Can also be used with the Additive Hardener 2K (Art. No. 3243, page 9).



APPLICATION AREAS

Heavily used wooden surfaces

TOOLS

Single disc machine

CAN SIZES

0,125 L / 0,75 L / 2,5 L / 10 L



3600Eco
Satin matt
colourless





more storage capacity

simple and efficient

modular system



ECOLINE MULTITOP



The plus for your perfect floor

The all-rounder in our range. The 1K version of Ecoline MultiTop lacquer is perfect for extremely heavy-duty use in the private sector. As a 2K version, the lacquer offers a surface of highest quality for commercial use. The lacquer can be customised with other available additives. The application? So easy! Simply add the additive, shake and the product is ready for use. Suitable tools such as the Aqua-Roller, etc. can be found on page 50.



APPLICATION AREAS
heavily used wooden surfaces

CAN SIZES
4,55 L

TOOLS
Aqua-Roller



All possible combinations at a glance:

| | Hardener 2K | UV Protection | Extra White | Slip- resistant „R10“ | Pitch Black | „Slow Down“ | Pure |
|----------------------|----------------|------------------|----------------|-----------------------------|----------------|----------------|------|
| MultiTop | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Hardener 2K | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| UV Protection | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ |
| Extra White | ✓ | ✓ | | ✓ | | ✓ | |
| Slip-Resistant „R10“ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ |
| Delayer „Slow Down“ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ |
| Pitch Black | ✓ | ✓ | | ✓ | | ✓ | |
| Pure | ✓ | ✓ | | ✓ | | ✓ | |

* The DIBt approval also applies in conjunction with any Ecoline MultiTop add-on.

ECOLINE MULTITOP EXTENSIONS

An infinite number of variants

Whether to use Hardener, Anti-slip R10 or UV protection...

We offer the right flexible and space-saving solution. Forget about using countless different lacquer cans and containers, now you only need space for the unique MultiTop and its additives. These extensions can be ordered individually and are supplied in the proven 0.45 litre containers. This means you save valuable storage space and can still respond to customer requests on short notice. It can also be used on all Ecoline Oil Ground Coats, as well as Ecoline Ground Coat "Speed".

ADDITIVE HARDENER „2K“ (9908ECO)

With the additive Hardener 2K in Ecoline MultiTop, the Lacquer dries faster, especially under difficult conditions such as high humidity. In general, the treated surfaces are more resilient and abrasion-resistant at an earlier stage.



ADDITIVE UV PROTECTION (9914ECO)

Significantly reduces the natural colour changes of the wood.



ADDITIVE EXTRA WHITE (9915ECO)

For an extra white floor, we recommend the combination with Ecoline Oil Ground Coat 3408Eco.



ADDITIVE ANTI-SLIP „R10“ (9916ECO)

A major requirement for objects can be fulfilled with the Ecoline MultiTop Slip Resistant additive. Particularly suitable for special surfaces such as stairs, stair heads or in properties such as retirement homes. Can only be used in combination with Additive Hardener 2K (9908Eco).



ADDITIVE PITCH BLACK (9918ECO)

The result is a black surface with an extraordinary effect that still reveals the structure of the wood and the installation pattern.



ADDITIVE DELAYER „SLOW DOWN“ (9919ECO)

Extends the workability of the lacquer. Particularly suitable for critical construction site conditions with high temperatures and low humidity.



ADDITIVE PURE (9933ECO)

For creating a perfectly protected wood surface that looks untreated.





9912Eco
colourless
transparent

VOC
free
lösemittelfrei

Info 

*protection against moisture
with a stimulating effect*

ECOLINE GROUND COAT "SPEED"



Protection against side-bonding

Ecoline Ground Coat "Speed" is a product specially developed for wood, bamboo and all common types of wood. The primer is safe, breathable and complies with the VOC guidelines 2010. It is easy to apply and can be overcoated after just 60 minutes-creating a slight amber tone.



APPLICATION AREAS

Wood and cork floors, as well as other wooden surfaces (e.g. furniture, stairs, worktops, etc.)

CAN SIZES

5 L

TOOLS

Aqua-Roller



0970 002Eco
colourless
transparent

VOC
free
lösemittelfrei

Info 

*fast drying
very good sandability*

ECOLINE CRACK-FILLER



The perfect filler

For the simple creation of joint filler from sanding dust for all SAICOS floor coatings. Fast drying, very good sandability. Water-based. Application quantity: 80 - 100 g/m².



APPLICATION AREAS

Floor

CAN SIZES

5 L

TOOLS

Scraper



2K PU ELASTIC

The individual coating for renovating and recoating PVC, linoleum and designer floor coverings

Waterbased 2K PU sealer for renovation or as an initial coat for PVC, Linoleum and LVT.

The hard-wearing sealer is characterised by very good adhesion and extremely high elasticity. It is particularly resilient, abrasion-resistant and also offers significantly higher resistance to common household disinfectants. SAICOS 2K PU Elastic is safe to apply thanks to its excellent levelling properties. The high solids content reduces dirt adhesion and significantly reduces the amount of maintenance required.

The 2K PU Elastic must always be used in combination with Hardener 2K. This is automatically supplied with the order.



APPLICATION AREAS

PVC, linoleum and designer floor coverings

TOOLS

Aqua-Roller

CAN SIZE

2K PU Elastic 4,55 L incl. 0,45 L Hardener 2K (Item-N° : 9608)



9600
Matt
colourless



All possible combinations at a glance:

| | 2K PU Elastic | Hardener 2K | Anti-Slip R10 | Delayer |
|---------------|---------------|-------------|---------------|---------|
| Hardener 2K | ✓ | | ✓ | ✓ |
| Anti-Slip R10 | ✓ | ✓ | | ✓ |
| Delayer | ✓ | ✓ | ✓ | |

* The DIBt approval also applies in conjunction with each of the 3 additions.

refurbishment instead of replacement

water-based

time-saving without primer





OUR ADDITIVES

Perfectly tailored to your needs

ADDITIVE ANTI-SLIP R10 (9616)



The Additive Anti-Slip R10 fulfils a frequently asked property requirement. Particularly suitable for special surfaces such as steps, landings, objects or surfaces with increased slip resistance.

CAN SIZES

0,45 L



ADDITIVE DELAYER (9619)

Extends the workability of the sealant. Particularly suitable for critical construction site conditions with high temperatures and low humidity.

CAN SIZES

0,45 L



BASIC CLEANER CONCENTRATE (8124)

Particularly suitable for designer flooring, PVC and linoleum

SAICOS Basic Cleaner is a concentrated intensive cleaner for all water-resistant, alkali-sensitive floor coverings. It is time-saving due to its very short contact time. The loose dirt is easy to remove from the surface. Also suitable for natural and artificial stone, limestone, clay, clinker and rubber. Removes even the toughest dirt films. Also suitable for cleaning machines.

APPLICATION AREAS

for all water-resistant, alkali-sensitive floor coverings
(designer flooring, PVC and linoleum)

TOOLS

Super Pad Green or Abrasive Fleece Mat (page 51)

CAN SIZES

1 L



BIOCID-FREE



Info



 9000
 Colourless
 transparent

protection against moisture


natural

WOOD IMPREGNATION

for special challenges

Biocide-free protection for wood susceptible to discolouration

Wood impregnation for softwoods (e.g. spruce, pine). The final coat is required within 1 week. We recommend SAICOS Premium Hardwax-Oil (page 9) as a top coat.



APPLICATION AREAS

Wood in damp rooms (bathroom, kitchen)

CAN SIZES

0,125 L / 0,75 L / 2,5 L / 10 L / 25 L

TOOLS

Flat Brush, Oil/Wax-Roller, Universal roller
„Small“



Info



 3001
 Colourless
 transparent

especially for exotic woods

penetrates deeply

GROUND OIL EXTRA THIN

for special challenges

For very special woods

Primer for exotic woods. We recommend SAICOS Premium Hardwax-Oil (page 9) as a top coat.



APPLICATION AREAS

Exotic and thermally treated wood

CAN SIZES

0,125 L / 0,75 L / 2,5 L / 10 L / 25 L

TOOLS

Flat Brush, Oil/Wax-Roller

UV PROTECTIVE WOOD FINISH INTERIOR



Discolouration protection for light-coloured interior wood

The coating with UV protection against yellowing for interior wood, also suitable for damp rooms. Can only be painted over with the same product or with SAICOS Bel Air H₂O (page 41).



7701
Colourless
transparent



7701
White
transparent

APPLICATION AREAS

Interior vertical surfaces, also for damp rooms

TOOLS

Flat Brush, Oil/Wax-Roller, Universal roller "Small"

CAN SIZES


0,125 L / 0,75 L / 2,5 L



delays yellowing

hardwearing

without sanding





renovate without sanding

easy to clean

high variety of colours

COLOR WAX

High-quality and very economical wood paint based on natural oils

Particularly suitable for renovating older furniture and interior woodwork. The high-quality natural ingredients bond permanently with the wood and ensure an easy-care and long-lasting beautiful surface. Opaque: 1 litre = approx. 12 m² (2 coats).



APPLICATION AREAS

Furniture and other interior wood

TOOLS

Flat Brush, Cloth

CAN SIZES

0,125 L / 0,375 L / 0,75 L / 2,5 L



3009
White
transparent



3010
Colourless
transparent



3013
Birch
transparent



3017
Silver Grey
transparent



3018
Pear
transparent



3028
Teak
transparent



3032
Cherry
transparent




3058
Oak
transparent




3081
Walnut
transparent



3085
Rosewood
transparent



3090
Ebony
transparent



4009
White
opaque



4019
Black
opaque





FURNITURE-OIL / PRESENTATION BOX

High-quality protection for your furniture

The natural oils and waxes penetrate deep into the wood and ensure high durability and easy maintenance of all wooden furniture. Available individually or in a practical and sales-promoting presentation box.



APPLICATION AREAS
for wooden furniture

CAN SIZES
0,3 L (3311)
Presentation box 20x 0,3 L (3399)

TOOLS
Cloth



WORKTOP OIL

Perfect combination of surface protection and naturalness

SAICOS Worktop Oil is a special oil-finish that has been developed to provide a durable, hard-wearing natural surface with fast drying. The oil penetrates deep into the wood and protects from the inside while maintaining the elasticity of the wood. Natural waxes protect the surface and ensure high durability.



APPLICATION AREAS
for wooden worktops

CAN SIZES
0,125 L / 0,5 L

TOOLS
Oil/Wax-Roller, Flat Brush, Cloth

STAIN REMOVER (8158)

Our problem solver

SAICOS Stain Remover is a highly effective product for removing water and reaction stains (e.g. oxidation) on oiled surfaces. The gel-like texture makes it easy to apply and has a particularly intensive effect.



APPLICATION AREAS
Oiled wooden surfaces


CAN SIZES
0,5 L



easy spray application

highly effective

particularly intensive



A modern dining room featuring a light-colored wooden floor, a white dining table with black chairs, and a white kitchen in the background. The room is decorated with a floor lamp, a sideboard, and a vase of flowers.

Easy clean & care

for beautiful wood



Info ⓘ

Care instructions
lacquered wooden floors



Info ⓘ

Care instructions
oiled wooden floors

WAX CARE

For effortless regenerating care and refreshing of all oiled wooden surfaces indoors.



APPLICATION AREAS


Oiled and waxed wooden surfaces

TOOLS

Telescope-Maintenance Cloth

CAN SIZES

0,3 L / 1 L / 10 L



PROFESSIONAL CARE OIL

The dirt-repellent Professional Care Oil can be used on all oiled/waxed surfaces as surface protection and after basic cleaning. The surface is easy to clean. The partial reworking of individual heavily used or damaged areas is possible.

Application interval: annually (property area) or as required.



APPLICATION AREAS


Oiled and waxed wood and cork surfaces

TOOLS

Telescope-Maintenance Cloth

CAN SIZES

1 L



APPLICATION AREAS

(Pre-)oiled wooden floors made of hardwood and softwood, parquet, floorboards, wooden paving and industrial parquet

TOOLS

Single disc machine

CAN SIZES

1 L



ECOLINE WASH CARE (8101Eco) CONCENTRATE

For solvent-free wet cleaning.



APPLICATION AREAS

All wipeable surfaces, e.g. wooden and cork floors, PVC, linoleum, laminate, tiles

TOOLS

Ecoline Maintenance Set

CAN SIZES

0,125 L / 1 L / 5 L / 10 L



ECOLINE MAGIC CLEANER (8125Eco) CONCENTRATE

Before sanding down unsightly surfaces, try our solvent-free intensive cleaner Ecoline Magic Cleaner.



APPLICATION AREAS

all wipeable surfaces, such as wooden surfaces, PVC, linoleum and tiles

CAN SIZES

0,125 L / 1 L / 5 L / 10 L



TOOLS

Ecoline Maintenance Set

SPRAY (8126Eco)

Ready-to-use Ecoline Magic Cleaner Spray

APPLICATION AREAS

all wipeable surfaces, such as wooden surfaces, PVC, linoleum and tiles

CAN SIZES

1 L



ecological und sustainable

solvent-free

environmentally friendly





ECOLINE WAX CARE



For effortless and solvent-free care and refreshing of all oiled/waxed wooden surfaces indoors.



Innenbereich
interior



200 m²
Ergiebigkeit
coverage



R9
rutschhemmend
anti-slip



DIN EN 71.3
für Holzspielzeug
for wooden toys



unbedenklich
harmless



umweltfreundlich
ecologically friendly



schmutzabweisend
dirt-repellent

APPLICATION AREAS
for oiled/waxed wood surfaces

CAN SIZES
1 L / 10 L

TOOLS
Ecoline Maintenance Set



8119Eco
Colourless
transparent



8111Eco
White
transparent



SPRAY



Ready-to-use, solvent-free maintenance Wax Care Spray.

APPLICATION AREAS
for oiled/waxed wood surfaces

CAN SIZES
1 L

TOOLS
Ecoline Maintenance Set



8129Eco
Colourless
transparent





care

solvent-free

FLOOR CARE SET

Our care set for floor care, consisting of: Ecoline Wash Care Concentrate 1 litre, Ecoline Wax Care Colourless 1 litre, application wipes, instructions for use.

APPLICATION AREAS
for oiled/waxed surfaces

CAN SIZES
2x 1 L





cleaning and care


solvent-free

FLOOR CLEAN & CARE SET

Our care set for floor cleaning and care, consisting of: Ecoline Magic Cleaner concentrate 1 litre, Ecoline Care Wax colourless 1 litre, application wipes, instructions for use.

APPLICATION AREAS
for oiled/waxed surfaces

CAN SIZES
2x 1 L



ECOLINE REFRESHER CONCENTRATE

Low-solvent concentrate for the care and regeneration of varnished wood surfaces.



APPLICATION AREAS
for lacquered wooden surfaces

CAN SIZES
1 L / 5 L / 10 L

TOOLS

Ecoline Maintenance Set



8106Eco
colourless

ECOLINE MULTITOP LACK POLISH

Especially for varnished floors. For renovating and renewing your hard-wearing lacquered surfaces, easy to apply.



APPLICATION AREAS
for lacquered wooden surfaces

CAN SIZES
1 L

TOOLS

Telescope-Maintenance Cloth



8152Eco
Matt
colourless



8153Eco
Satin matt
colourless



care and regeneration

low-solvent VOC < 5 %



renovation and renewal

solvent-free





cleaning and care

2 parts – complete set



cleaning and care

3 parts – complete set

TELESCOPE-MAINTENANCE CLOTH

Extendable telescopic handle with special wipe suitable for:

- SAICOS Wax Care 8100 / 8111
- SAICOS Wash Care Oil 8144 / 8145 / 8145M
- Ecoline MultiTop Lack Polish 8152Eco / 8153Eco

Replacement wipe can be ordered individually.

APPLICATION AREAS

for all surfaces

ORDER NUMBER

Item-Nr. Telescope-Maintenance Cloth: 8189

Item-Nr. Replacement cloth: 8190

SIZES

1,05 - 1,85 m

ECOLINE MAINTENANCE SET

Extendable telescopic handle with 2 special cloths. Specially developed for the following care products:

- Ecoline Wash Care 8101Eco
- Ecoline Magic Cleaner 8125Eco
- Ecoline Wax Care 8119Eco / 8111Eco
- Ecoline Refresher 8106Eco

Replacement cloths in a set of 2 can be ordered individually.

APPLICATION AREAS

for all surfaces

ORDER NUMBER

Item-Nr. Wash Care- Set: 8108Eco

Item-Nr. Replacement cloths: (Set of 2):
8188Eco

SIZES

0,90 - 1,40 m


WASH CARE OIL

WAX CARE

**PROFESSIONAL
CARE OIL**

ECOLINE WASH CARE

**ECOLINE
MAGIC CLEANER**

**ECOLINE
CARE WAX**

**ECOLINE
REFRESHER**

**ECOLINE MULTITOP
LACK POLISH**

| Item-Nr. | 8144 / 8145 / 8145M | 8100 / 8111 | 8139S / 8139M/ 8139W | 8101Eco | 8125Eco / 8126Eco | 8119Eco / 8111Eco / 8129Eco | 8106Eco | 8152Eco / 8153Eco |
|--|-------------------------------------|--|-------------------------------------|------------------------------------|--|--|--|-------------------------------------|
| low-solvent /solvent-free | | | | | | | | |
| Coating | Oil | Oil | Oil | all | all | Oil | Lacquer | Lacquer |
| Wood- and bamboo floors | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Table and desk surfaces | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Furniture | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Ceiling and wall panels | ✓ | | ✓ | ✓ | ✓ | | | |
| Laminate, PVC, others | | | | ✓ | ✓ | | | |
| Product type | Ready-to-use | Ready-to-use | Ready-to-use | Concentrate | Concentrate and Ready-to-use Spray | Ready-to-use | Concentrate | Ready-to-use |
| Available package sizes | 1 L | 0,3 L, 1 L, 10 L | 1 L | 1 L, 5 L, 10 L | 1 L, 5L, 10 L | 1 L, 10 L | 1 L, 5 L, 10 L | 1 L |
| Mix ration with water / application quantity | - | - | - | 3 caps with 5 l | 1 : 10 | - | 0,5 l with 5 l | - |
| Coverage (m² per 1 liter) | approx. 100 m² | approx. 100 m² | approx. 100 m² | approx. 700 m² | approx. 100 - 150 m² | approx. 200 m² | approx. 200 m² | approx. 100 m² |
| Application interval private | annually (or as required) | 2x per year (or as required) | annually (or as required) | monthly (or as required) | annually (or as required) | 2x per year (or as required) | 2x per year (or as required) | annually (or as required) |
| Application interval objects | annually (or as required) | monthly (or as required) | annually (or as required) | weekly (or as required) | 2x per year (or as required) | monthly (or as required) | monthly (or as required) | annually (or as required) |
| Application | 8189 | 8189 | 0950 027 0950 575 | 8108Eco | 8108Eco | 8108Eco | 8108Eco | 8189 |





Special requests?

Get in touch with us +49 25 83 30 37 0

SPECIAL WOOD OIL

Reliable, durable and easy to clean

The premium protection for all wooden decking and garden furniture. The satin matt, natural-looking surface emphasises the wood tone and grain of the wood. Particularly high penetration capacity, extremely weather-resistant, extremely durable.



APPLICATION AREAS

Wooden decking and garden furniture

CAN SIZES

0,125 L / 0,75 L / 2,5 L / 10 L

TOOLS

Flat Brush, Floor Brush



SPECIAL WOOD OIL ADDITIVE

ADDITIVE ANTI-SLIP R10 (0240)

With the Additive Anti-Slip you can equip the SAICOS Special Wood Oil with R10 slip resistance.

CAN SIZES

70 ml for 0,75 L Special Wood Oil

234 ml for 2,5 L Special Wood Oil



END-GRAIN SEALING WAX

Moisture doesn't have a chance

Protects cutting edges against cracks and moisture and is highly water-repellent.



APPLICATION AREAS


Decking

TOOLS

Cloth

CAN SIZES

0,125 L / 0,75 L



ecological

sustainable

environmentally friendly

DECKING OIL H₂O



The water-based finish for decking

Looking for the ideal protection for your wooden decking? Please have a look at our innovative Decking Oil H₂O!

It emphasises the natural beauty of the wood, is very easy to apply and provides long-term protection against the effects of the weather. Decking Oil H₂O convinces for its short drying time and integrated R9 slip resistance.



Innen & Außen
interior & exterior



Auftrag
application



16m²
Ergiebigkeit
coverage



3-5h
Trockenzeit
drying time



R9
rutschhemmend
anti-slip



DIN EN 71.3
für Holzspielzeug
for wooden toys



wetterfest
weatherproof

APPLICATION AREAS

Wooden decking and garden furniture

CAN SIZES

0,125 L / 0,75 L / 2,5 L / 10 L

TOOLS

Flat Brush, Floor Brush



0310
Colourless
transparent



0312
Larch
transparent



0313
Bangkirai
transparent



0318
Teak
transparent



www.blauer-engel.de/uz12a





naturally beautiful wood

block resistant

open porous

WOOD STAIN

Translucent wood finish based on natural oils

Oil-based Wood Stain with particularly high UV protection and very good weather resistance, as well as film protection against mould and fungal attack.



APPLICATION AREAS


Any exterior wood that cannot be walked on

CAN SIZES


0,125 L / 0,75 L / 2,5 L / 10 L

TOOLS


Flat Brush, Oil/Wax-Roller,
Universal roller "Small"




0001
Colourless
transparent




0009
White
transparent




0010
Spruce
transparent




0011
Pine
transparent




0018
Sand
transparent




0030
Swedish Red
transparent




0031
Larch
transparent




0038
Mahogany
transparent




0060
Fir Green
transparent




0070
Pearl
transparent




0071
Rock Grey
transparent




0081
Walnut
transparent




0082
Teak
transparent




0086
Oak
transparent



0089
Rosewood
transparent



0091
Ebony
transparent



0092
Anthracite
transparent



WOOD STAIN H₂O



Water-based protection and care

The transparent, water-based wood stain provides a beautiful, natural and decorative colour. The open-porous stain allows the wood to breathe. It is extremely durable and water and dirt repellent. The swelling and shrinkage of the wood is reduced. The stain penetrates deep into the wood, keeping it healthy and elastic. The coating protects the surface against weathering, moisture, mould and fungal attack.



APPLICATION AREAS


Vertical exterior wood with particularly high weather resistance

CAN SIZES

0,125 L / 0,75 L / 2,5 L / 10 L

TOOLS

Flat Brush, Aqua-Roller,
Universal roller "Small"



protects and cares

weatherproof

quick-drying



Info



HOUSE & GARDEN COLOUR

The best for your exterior wood

Opaque House & Garden Colour based on natural oils that bonds permanently with the wood. The satin matt surface covers the wood tone and grain, but allows the structure of the wood to be recognised.



APPLICATION AREAS

for all exterior vertical wood, especially good for windows and doors

CAN SIZES

0,125 L / 0,75 L / 2,5 L / 10 L

TOOLS

Flat Brush, Oil/Wax-Roller, Universal roller
"Small"



naturally beautiful wood

anti-blocking

open-pored





www.blauer-engel.de/uz12a

BEL AIR H₂O Garden and Cladding Colour

The environmentally friendly water-based coating

Extremely resistant to weathering and mechanical damage.



APPLICATION AREAS


for all exterior vertical wood

CAN SIZE

0,125 L / 0,75 L / 2,5 L / 10 L

TOOLS

Flat Brush, Oil/Wax-Roller, Universal roller
"Small"



ecological
opaque und transparent
water-based





against sweeping branches

no single coat

open-pored

PRIMER WHITE



Essential for homogenous surfaces

Primer to prevent knots from showing through on light-coloured top coats, especially white.

The Primer White is not a stand-alone finish coat. We recommend two opaque coats of SAICOS Bel Air H2O Garden and Cladding Colour (page 41) or SAICOS House & Garden Colour (page 40) as the final coat.



Außenbereich
exterior



Auftrag
application



Ergiebigkeit
coverage



Trockenzeit
drying time



natürliche Öle
natural oils



umweltfreundlich
ecologically friendly

APPLICATION AREAS

Exterior wood primer

TOOLS

Flat Brush, Oil/Wax-Roller, Universal roller
"Small"

CAN SIZES

0,125 L / 0,75 L / 2,5 L / 10 L



7050
White




UNIVERSAL IMPREGNATION (9004)



All-round carefree protection

Water-based, high-quality protection for exterior wood. The impregnation reduces the swelling and shrinkage of the wood and has a preventative effect against blue stain, rot and wood-damaging insects. All oil and water-based SAICOS coatings for exterior use can be used as a top coat.

Use biocidal products with care. Always read the label and product information before use.



APPLICATION AREAS
outdoor wood

TOOLS
Flat Brush, Aqua-Roller,
Universal roller "Small"

CAN SIZES
0,125 L / 0,75 L / 2,5 L / 10 L

WPC CARE OIL

Fresh up your WPC surfaces




SAICOS WPC Care Oil is a transparent and open-pored special coating for the care of weathered and roughened WPC surfaces. The wood-plastic composites are sustainably protected against fading and greying. Before coating, we recommend cleaning the weathered surface with SAICOS Cleaner for Wood-Plastic-Composite (WPC) (page 47).



APPLICATION AREAS
for all components made of WPC

TOOLS
Floor Brush, Flat Brush

CAN SIZES
0,125 L / 0,75 L / 2,5 L



against decay & blue stain

water-based

for weathered surfaces

for all components made of WPC



BIOCIDE-FREE

0111
colourless

easy to clean

dirt and water repellent

Info 

CLEAR OIL FINISH

High-quality protection against wind and weather

Colourless oil coating based on natural oils for a natural looking product with strong dirt and water repellent properties.



APPLICATION AREAS

All exterior and interior woodwork that cannot be walked on

CAN SIZES

0,125 L / 0,75 L / 2,5 L / 10 L

TOOLS

Flat Brush, Oil/Wax-Roller, Universal roller
"Small"



7620
Graphite Grey

7630
Stone Grey

natural greying

moisture-regulating

Info 

GREYING WOOD STAIN

One step ahead of nature

Evens out the transition to a natural, grey wood surface. One coat, the rest is done by nature.



APPLICATION AREAS

Exterior timber, e.g. facades with roof overhangs

CAN SIZES

0,125 L / 0,75 L / 2,5 L / 10 L

TOOLS

Flat Brush, Oil/Wax-Roller, Universal roller
"Small"

UV PROTECTIVE WOOD FINISH EXTERIOR

Sun protection for exterior wood

Extremely durable UV long-term protection against greying and yellowing of wood. Particularly water and dirt repellent.



1101
Colourless
transparent



1111
Pine
transparent



1171
Grey
transparent



1181
Walnut
transparent

APPLICATION AREAS

Exterior timber, e.g. facades with roof overhangs

TOOLS

Flat Brush

CAN SIZES

0,125 L / 0,75 L / 2,5 L / 10 L



delays yellowing

dirt-repellent

water-repellent



Perfect cleaning

for beautiful terraces



Care instructions



WOOD BRIGHTENER (8130)

CONCENTRATE

Highly effective concentrate that removes unpleasant greying from all types of wood without sanding. Suitable for all types of wood.

APPLICATION AREAS

Horizontal surfaces such as decking

TOOLS

Flat Brush, Floor Brush

CAN SIZES

1 L / 5 L / 10 L



without sanding

WOOD BRIGHTENER POWER GEL (8133)

Highly effective Power-Gel for cleaning and refreshing greyed and unsightly wood surfaces. and unsightly wooden surfaces. Suitable for all types of wood.

APPLICATION AREAS

Vertical surfaces such as fences, screens, etc.

TOOLS

Flat Brush, Floor Brush

CAN SIZES

1 L / 2,5 L



intensive gel texture

DECKING CLEANER (8160)

CONCENTRATE

Concentrate for simple, thorough cleaning, especially of wooden decking. Solvent-free, chlorine-free, formaldehyde-free, without bleaching agents.

APPLICATION AREAS

Horizontal surfaces such as decking

TOOLS

Flat Brush, Floor Brush

CAN SIZES

1 L



thorough cleaning

1 L = approx. 30-40 m²

WPC CLEANER (8123)

CONCENTRATE

This concentrate has been specially developed for easy and thorough cleaning of WPC decking. It is solvent-free, chlorine-free and bleach-free - biodegradable.

APPLICATION AREAS

All components made of WPC

TOOLS

Cleaning brush for wooden deckings

CAN SIZES

1 L



solvent-free

intensive cleaning

EASY PAINT SET (0950 555)

Practical set for the perfect finish

The Easy Paint Set consists of:

- 1 x SAICOS Paint Tray "Small"
- 3 x Tray Insert
- 1 x SAICOS Flat Brush (60 mm wide)
- 1 x SAICOS Universal Roller "Small" (100 mm wide)
- 1 x Roller Handle (100 mm)

APPLICATION AREAS

for all interior and exterior wood coatings

SIZES

1 Set



practical

climate-neutral packaging

optimised further processing

BRUSH CLEANER (5100)

Cleans tools from SAICOS oil/wax-based wood coatings. Also removes resin.

APPLICATION AREAS

Tools used with oil and wax-based coatings

CAN SIZES

1 L / 10 L



thorough

low odour

gentle

BENZENE-FREE



HAND PAD HOLDER „LARGE“ (0950 684)

Handy pad holder for working on smaller surfaces such as table tops, steps or furniture surfaces.

MATCHING ARTICLES

White pad for levelling (0950 690)
Green pad as cleaning sanding (0950 693)
Brown pad as renovation sanding (0950 695)

SIZES

237 x 97 mm



PAD HOLDER WITH HANDLE HOLDER (0950 685)

Practical pad holder with handle holder for working in hard-to-reach areas such as underneath radiators.

MATCHING ARTICLES

White pad for levelling (0950 690)
Green pad as cleaning sanding (0950 693)
Brown pad as renovation sanding (0950 695)

SIZES

230 x 97 mm



NEW

AQUA-ROLLER

The roll for water-based coatings

MATCHING ARTICLES

SAICOS Roller Handle
SAICOS Telescopic handle with click connection
Paint Tray "Large"

SIZES

250 mm (0950 008)



UNIVERSAL ROLLER "SMALL"

The all-rounder for small areas

MATCHING ARTICLES

SAICOS Roller Handle
SAICOS Telescopic handle with click connection
Paint Tray "Small"

SIZES

Set of 2, 100 mm (0950 007)



OIL/WAX-ROLLER

The high-quality roller for oil or wax-based coatings

MATCHING ARTICLES

SAICOS Roller Handle
SAICOS Telescopic handle with click connection
Paint Tray "Large"

SIZES

250 mm (0950 013)



PAINT TRAY "SMALL"

For the correct dosage when picking up colour

APPLICATION AREAS

For all work with brushes and rollers

MATCHING ARTICLES

SAICOS Floor Brush
Universal roller "Small"
Tray inserts „small“ in a set of 5

SIZES

15 x 30 cm (0950 227)
Tray inserts „small“ Set of 5 (0950 228)



ROLLER HANDLE

Professional-quality paint roller frame with ergonomic handle

APPLICATION AREAS

for ergonomic working

MATCHING ARTICLES

SAICOS Roller
SAICOS Telescopic handle with click connection

SIZES

100 mm (0950 019)
250 mm (0950 020)



FLAT BRUSH

The right Flat Brush for every project

APPLICATION AREAS

for oil and water systems

MATCHING ARTICLES

Brush Cleaner
Paint Tray "Small"

SIZES

30 mm (0950 030)
50 mm (0950 050)
60 mm (0950 060)
100 mm (0950 100)



PAINT TRAY "LARGE"

For the correct dosage when picking up paint with rollers

APPLICATION AREAS

for all work with brushes and rollers

MATCHING ARTICLES

SAICOS Floor Brush
Aqua-Roller, Oil/Wax-Roller
Tray inserts „Large“ in a set of 5

SIZES

31 x 35 cm (0950 229)
Tray inserts „Large“ Set of 5 (0950 230)



TELESCOPIC HANDLE WITH CLICK CONNECTION

Practical helper for painting large surfaces

APPLICATION AREAS

Can be combined with all SAICOS attachments

MATCHING ARTICLES

Floor Brush
SAICOS Roller

SIZES

110-220 cm (0950 231)



FLOOR BRUSH

For the coating of oil-based paints

APPLICATION AREAS

Suitable for SAICOS oil systems

MATCHING ARTICLES

SAICOS Telescopic handle with click connection

SIZES

150 mm (0950 150)
220 mm (0950 220)



DOUBLE BLADE SCRAPER -STAINLESS STEEL

Handy spatula for applying coats of paint to wooden floors

APPLICATION AREAS

all trowelable products that are subsequently levelled with a pad

SIZES

270 mm (0950 027)



CLEANING BRUSH FOR WOODEN DECKINGS

Easy handling, thorough result

APPLICATION AREAS

for cleaning wooden decking

MATCHING ARTICLES

SAICOS cleaner for outdoor use

SIZES

200 mm (8191)



SUPER PAD

Levelling or sanding - The pads for all cases

APPLICATION AREAS

Pads for sanding, cleaning and levelling

SIZES

16"/406mm

FARBEN

White (0950 575)
Green (0950 599)
Black (0950 623)
Beige (0950 583)

ABRASIVE FLEECE MAT


The pad marone for the perfect renovation finish

APPLICATION AREAS

Renovation sanding

SIZES

16"/405 mm
grain 280 (0950 727)





SAICOS COLOUR GmbH

Carl-Zeiss-Str. 3


D-48336 Sassenberg

☎ +49 2583 3037-0

☎ +49 2583 3037-10

info@saicos.de

www.saicos.de



All previous price lists become invalid with the publication of this price list. Programme, price and delivery options are subject to change. The colours shown in this price list are subject to printing fluctuations and are therefore not binding. Our technical application advice is given to the best of our knowledge and on the basis of tests, but is only non-binding and does not release you from the obligation to test the products supplied by us for their suitability for the intended purpose. As the application and processing of the products is beyond our control, the responsibility lies exclusively with the processor. With the publication of a new price list, the previous one loses its validity. Subject to change without notice. All illustrations of our product colour palettes are non-binding and may deviate from the original colours. For further information, please refer to our current technical data sheets.
Photos: SAICOS COLOUR GmbH / Shutterstock, Inc. / 123 RF, Adobe Stock